



NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELATED DRAWINGS ISSUED BY THE ARCHITECT AND ENGINEER, SEWERS FOR ADOPTION SIXTH/SEVENTH EDITION, SURREY COUNCIL STANDARDS, NHBC STANDARD DETAILS AND SKANSKA STANDARDS.
2. DO NOT SCALE FROM THIS DRAWING. WORK FROM FIGURED DIMENSIONS ONLY.
3. ALL DIMENSIONS SHOWN IN METRES UNLESS NOTED OTHERWISE.
4. ALL DIMENSIONS, LEVELS AND SURVEY GRID CO-ORDINATES ARE TO BE CHECKED ONSITE AND THE ENGINEER NOTIFIED IMMEDIATELY OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF THE WORKS.
5. NO DEVIATION FROM THE DETAILS SHOWN ON THIS DRAWING IS PERMITTED WITHOUT PERMISSION FROM THE ENGINEER.
6. BACKFILLING OF DRAIN TRENCHES ADJACENT TO DWELLINGS OR OTHER STRUCTURES TO BE IN ACCORDANCE WITH THE BUILDING REGULATIONS PART H; DIAGRAM 8.
7. REFERENCE MUST BE MADE TO THE EXISTING GROUND INVESTIGATION REPORT.
8. THE CONTRACTOR MUST REFER TO THE EXISTING SERVICES PLANS AND INFORMATION AND MUST LOCATE EXISTING SERVICES PRIOR TO ANY EXCAVATIONS. ALL EXCAVATION WORKS IN THE VICINITY OF EXISTING SERVICES SHOULD BE CARRIED OUT IN ACCORDANCE WITH HSG47.
9. REFERENCE MUST BE MADE TO THE EXISTING SERVICES SURVEY AND INVESTIGATIONS.
10. FINALISED PROPOSALS ARE SUBJECT TO CO-ORDINATION WITH THE COMBINED SERVICES PROPOSAL.
11. ALL STREET LIGHTING EQUIPMENT AND WORKS TO BE CARRIED OUT IN ACCORDANCE WITH CURRENT SURREY COUNTY COUNCIL SPECIFICATION.
12. CONTRACTOR TO CONFIRM POSITION OF STATUTORY UNDERTAKERS PLANT BEFORE COMMENCEMENT OF THE WORKS.
13. DURING WORKS ALL TRAFFIC MANAGEMENT TO BE IN ACCORDANCE WITH CHAPTER 8 OF THE TRAFFICS SIGNS MANUAL.
14. ALL LIGHTING COLUMNS TO BE FED BY DNO SUPPLY AND LOCATION, SPECIFICATION AND DETAILS TO BE CONFIRMED BY SKANSKA LIGHTING ENGINEER. FOR MORE INFORMATION REFER TO SKANSKA DRAWING No: - SECTION 278 STREET LIGHTING LAYOUT PSU4000.1665.005_Rev.002
15. TO BE READ IN CONJUNCTION WITH THE HIGHWAY SPECIFICATION - DC1-ODM-CX-101-RP-0001

KEY:-

- PROPOSED ROAD LAYOUT
- PROPOSED ADOPTED BOUNDARY
- PROPOSED ADOPTED CARRIAGEWAY
- PROPOSED ADOPTED FOOTWAY
- PROPOSED GRASS VERGE/LANDSCAPE AREA

N14

10m SCC SPEC COLUMN WITH URBIS AMPERA MIDI NW LED LANTERN

LIGHTING COLUMN - 10m MALLATITE SCC SPEC COLUMN WITH POST TOP MOUNTED LANTERN AND 0 DEGREE TILT FINISHED TO BS 12B 25 SPRUCE GREEN.

LANTERN - URBIS AMPERA MIDI NW LED (AMPERA MIDI 5119 (351452) - 64 LEDS 700MA NW FLAT, GLASS EXTRA CLEAR.) POST TOP MOUNTED WITH 0 DEGREE TILT. LANTERN SHALL BE PAINTED BS 12B 25 SPRUCE GREEN.

CONTROL GEAR - PHILIPS STANDARD CONTROL GEAR DALI ENABLED.

PHOTO CELL - HARVARD UNINODE MONITORING NODE

ISOLATOR - TOFCO-Z-TYPE 1SK-PFI

SUPPLY - SINGLE PHASE DNO SERVICE

GLARE - G3 CLASS

N15

10m SCC SPEC COLUMN WITH URBIS AMPERA MIDI NW LED LANTERN

LIGHTING COLUMN - 10m MALLATITE SCC SPEC COLUMN WITH POST TOP MOUNTED LANTERN AND 0 DEGREE TILT FINISHED TO BS 12B 25 SPRUCE GREEN.

LANTERN - URBIS AMPERA MAXI NW LED (AMPERA MAXI 5119 (357072) - 80 LEDS 700MA NW FLAT, GLASS EXTRA CLEAR.) POST TOP MOUNTED WITH 0 DEGREE TILT. LANTERN SHALL BE PAINTED BS 12B 25 SPRUCE GREEN.

CONTROL GEAR - PHILIPS STANDARD CONTROL GEAR DALI ENABLED.

PHOTO CELL - HARVARD UNINODE MONITORING NODE

ISOLATOR - TOFCO-Z-TYPE 1SK-PFI

SUPPLY - SINGLE PHASE DNO SERVICE

GLARE - G3 CLASS

	1. MULTIPLE EXISTING SERVICES IN ROAD	CONTRACTOR TO ENSURE EXACT LOCATION OF SERVICES ARE LOCATED USING APPROPRIATE MEANS, AND MARKED/PROTECTED AS REQUIRED
RESIDUAL HAZARD		SUGGESTED CONTROL MEASURE

SIGNIFICANT RESIDUAL HAZARDS		
NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.		

T07	Revised to suit SCC comments	FC	MC	SRB	27.07.18
T08	Revised to suit SCC comments	FC	MC	SRB	27.07.18
T09	Revised to suit SCC comments. Issued for approval	FC	MC	SRB	17.07.18
T04	Issued for approval	FC	MC	SRB	05.07.18
T03	Drawing revised to suit SCC comments	MG	MC	SRB	06/06/18
T02	Works revised to suit SCC Road Safety Audit Stage 2	MG	MC	SRB	22.02.18
Rev	Amendments	Drn	Chk	App	Date

Tuscany House
White Hart Lane
Basingstoke
Hampshire RG21 4AF

Telephone: 01256 331144
Fax: 01256 331144
E: enquiries@odysseymarkides.com
W: www.odysseymarkides.com

Job Title	DEEPCUT PRINCESS ROYAL BARRACKS		
Drawing Title	THE MAULTWAY ROUNDABOUT S278 - GENERAL ARRANGEMENT		
Client	SKANSKA		
Scale	1:500 @A1	Date	MAY.17
Drawn	CDU	Checked	RB
Job No	16-190	Designed	CDU
Rev	T07	Approved	SRB
Drawing No	DC1-ODM-TA-116-XX-DR-03-0001	Rev	T07

ADOPTION APPLICATION DRAWING - NOT FOR CONSTRUCTION

REPRODUCED FROM ORDNANCE SURVEY © BY THE PERMISSION OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. ALL RIGHTS RESERVED. LICENCE NUMBER 100045322.